



AIRDECK™SAFETY.COM

AIRDECK 
SOFT LANDING SYSTEM

SAFE, PORTABLE AND
VERSATILE


PORTABLE AND INFLATABLE FALL ARREST SYSTEM

AirDeck™ is a collective fall arrest system that utilises an inflatable air cushion, which creates a softened landing area for users in the event of a fall while working at height. Reducing the distance of the fall and softening the impact of landing.

The inflatable design makes it a practical alternative to more bulky and permanent 'bean bags' or cushions that require continuous air supply.



Fully tested to meet
requirement of
PAS 59-14



Easy to move and
store. Lightweight
and portable




Inflates in seconds.
Quick to install
and setup

SAFETY IN SECONDS

AirDeck™ was designed to make safety even more accessible. As a versatile system, AirDeck™, can be used on its own and alongside existing safety measures to improve compliance and reduce risk. It is trusted and used across the world in various applications from construction to aircraft maintenance and more.

The AirDeck™ system is created from a number of modular units, which clip together to completely cover the at risk area and protect users in the event of a fall when working at height. It is designed to be quick and easy to deploy, move, and store.

AirDeck™ is tested to meet the performance requirements of the PAS 59-14 safety standards for collective fall arrest systems.



USING AirDeck™

AirDeck™ is designed to be the ultimate soft landing fall arrest system. Ideal for use during temporary works by providing a simple and fast to deploy and pack away solution.

The AirDeck™ range includes the Original, Safety Cover, and Safety Layer. The range provides safety solutions for the most common needs for temporary work at low heights.

AirDeck™ Original and Cover protects up to 2.75 and 3.25m above ground level respectively. Where as the combined Safety Layer system protects up to 5.25m.

INFLATES IN SECONDS

AirDeck™ inflates and deflates in seconds, making it extremely quick and easy to set up or put away.

At AirDeck™ we believe that safety solutions that are simple to set up help improve compliance and safety.

AirDeck™ is inflated and deflated using the portable hand held inflater. Once inflated the units can be clipped together ready for use.

EASY TO STORE

AirDeck™ can be deflated in seconds and easily folded away to be stored till next use. Approximately 50 units of AirDeck™ fit neatly onto 1 pallet and can

cover an area of 80m² when inflated.


LIGHTWEIGHT & PORTABLE

AirDeck™ is lightweight and easy to reposition, even when inflated, making it ideal for use across multiple areas. Especially when compared to the much heavier 'bean bags' or constant air filled systems which are difficult to move and transport.

AirDeck™'s modular design removes the need for excess as the number of units you require is determined by the area you need to cover. Allowing you to only deploy what you need.


THE AIRDECK™ RANGE

ORIGINAL




MAX HEIGHT OF PROTECTION
2.75m*

SAFETY COVER



MAX HEIGHT OF PROTECTION
3.50m*

SAFETY LAYER



MAX HEIGHT OF PROTECTION
5.25m*

*from ground level

The biggest benefit for us is that they
are so easy to use and to store – they
are an ideal solution.

Site Manager - Belbroughton Developments

GET IN TOUCH

AIRDECK™SAFETY.COM

ENQUIRIES@AIRDECKSAFETY.COM

JUBILEE HOUSE,
3 GELDERS HALL ROAD,
SHEPSHED, LOUGHBOROUGH,
LE12 9NH

+44 1509 502 155

AIRDECK 
SOFT LANDING SYSTEM